

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

Item n° :

60191279

Customer pos. no.:

Model :

GRINDER FX 15.22 T-NA 400 V

Type of installation :

Wet - Coupling unit (HORIZONTAL outlet)

Pump data

Free passage : --
Max. immersion depth : 20 m
Min. fluid temperature : 0 °C
Max. fluid temperature : 50 °C

Requested data

Flow :
Head :
Fluid : Water
Fluid Temperature : 20 °C
Density : 998,3 kg/m³
Kinematic viscosity : 1,005 mm²/s
Vapor pressure : 0,33938 psi



Hydraulic data (duty point)

Flow :
Head :

Materials

Handle Cast iron (EN GJL 200)
Pump body / motor Cast iron (EN GJL 200)
Impeller Cast iron (EN GJL 250)
Mechanical seal pump side SIC-SIC/SIC-C
Mechanical seal motor side SiC/Carbon
O-Ring NBR
Cutter / Cutter Base Steel EN1.4542 / AISI 630

Curve tolerance according to ISO 9906



Motor data

Motor brand : DAB
Nominal power P2 : 2,1 kW
Rated speed : 2.870 1/min
Rated voltage : 3~ 400 V 50 Hz
Nominal current : 4,7 A
Degree of protection : IP 68

Weight :

39 kg

Accessory weight :

12,5 kg

Dimensions in

mm

	P1	P2	S1	S2
	475	215	416	195

Pump connection

Suction side : --
Discharge side : Rp 1"1/2 - DN 32 PN10/6, DN 40 PN6


Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

GRINDER FX 15.22 T-NA 400 V

Curve tolerance according to ISO 9906



Suction side :

Discharge side :
Rp 1"1/2 - DN 32 PN10/6, DN 40 PN6
--

Flow :

Head :

Rated speed :
2.870 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IT

OWNER_

ISSUE_DATE

2023-11-19



DIMENSIONAL DRAWING

2023-11-15

Page 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Receiver

From

Company
Reference
Address
Phone
Fax
E-mail

GRINDER FX 15.22 T-NA 400 V



Dimensions in mm

Pump connection

1
2
3
4
5
6
7
8
9
10
11

P1
P2
S1
S2

475
215
416
195

Suction

Discharge

Rp 1"1/2 - DN 32 PN10/6, DN 40 PN6

--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE

2023-11-19